



P.O. Box 837  
Reno, NV 89504 USA  
t: 775.335.8839  
[VisitRenoTahoe.com](http://VisitRenoTahoe.com)

Subject: Request for Proposal 2023-OP02  
Response to Questions submitted

RFP Title: **Reno-Sparks Convention Center Purchase of  
Portable Indoor Track**

Date of RFP Release: April 26, 2023

Bid Responses Due: May 9, 2023, 10:00 AM (PDT)

Bid Opening Time: May 9, 2023, 10:10 PM (PDT)

Contact: Amy Pickens/Project Administrator

---

The Reno-Sparks Convention and Visitors Authority received the following questions in regard to RFP 2023-OP02. Below are the questions received (Black) and the Authority's responses (Blue).

---

1. Page 9 of the RFP has a checkbox notating licenses may be obtained after the bid: Does checkbox apply to Subsection C and D?

The checkbox applies to section D only. The business license may be obtained after the award of the RFP.

2. If the track and structure are substantially constructed outside the State of Nevada (work performed totals over 99% of the value of the bid), would it be considered a tangible item? If yes, is a Contractor's License required for a tangible item?

The RSCVA would ask that each bidder reach out to the NV Contractor's Board for clarification on what they consider a tangible item and what license is required for that.

3. Is a specific Contractor's License classification required? If yes, which classification does this RFP fall under?

The RSCVA would ask that each bidder reach out to the NV Contractor's Board for clarification on what contractor's license classification is required . Each bidder will be able to provide detailed technical aspects to the NV Contractor's Board for determination.

4. Under the "Scope of Work" section, subsection 3.1 asks Vendor to identify one WA Certified indoor Facility. Does this facility need to have a portable or modular or demountable track utilized by the facility as portable?

No, the WA Certified Indoor Facility can be hydraulically banked turns, fixed bank turns, or portable (modular and demountable) facility.